

Product information sheet

Purity:	HPLC purified	
Format:	Annealed	
Appearance:	Solution	
Storage Temperature:	-20°C or below	
Additional Reagents supplied:	Nuclease-free Water	

Handling Instructions:

siPOOLs are susceptible to degradation by exogenous ribonucleases. The use of gloves, RNase-free reagents and plastic as well as barrier pipette tips is strongly recommended.

siPOOLs are shipped in 10 mM Tris solution at 50 μ M concentration and require no resuspension. Nuclease-free water is provided for further dilution if required.

siRNA (nmol)	Volume of siPOOL provided at final concentration of 50 μM (μΙ)
1	20
5	100
10	200
20	400

Briefly centrifuge tubes to ensure all material is at the bottom of the tube before opening.

Store siPOOLs at or below -20°C. Splitting up larger volumes into multiple aliquots is strongly recommended to minimize risk of contamination. Under these conditions, siPOOLs are stable for at least 12 months.

Other Information

For cell culture experiments we strongly recommend performing a dose response curve to assess the optimal siPOOL concentration for each cell line and transfection method. As a starting point we suggest using final total siRNA concentrations between 1 nM and 10 nM.

Effect on protein level and phenotypic response will follow mRNA knock-down with gene-specific kinetics.

For easy to transfect cell lines (Hela, A549, MCF7 etc.) and readouts measured 2-3 days after transfection, we recommend a siPOOL concentration of 3 nM.

Longer assays and difficult cell lines may require higher concentration.

A transfection protocol can be found on our website www.sitoolsbiotech.com under Resources

FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR THERAPEUTIC PROCEDURES

Information in this document is subject to change without notice.

This product may be used only for the buyer's internal purpose and not for commercial use except for providing service to research customers. The buyer may not resell products in the original or any modified form.

www.sitoolsbiotech.com

© siTools Biotech GmbH, All rights reserved. Document P/N siPOOL 04/2020













