

Pro293 References

Pro293s:

1. Abe I, Kashiwagi K, Noguchi H. Antioxidative galloyl esters as enzyme inhibitors of p-hydrobenzoate hydroxylase. *FEBS Letters*. 2000;483(2-3):131-134.
2. Baldi L, Muller N, Picasso S, et al. Transient Gene Expression in Suspension HEK-293 Cells: Application to Large-Scale Protein Production. *Biotechnology Progress*. 2005; 21(1):148-153.
3. Belin V, Rouselle P. Production of a recombinantly expressed laminin fragment by HEK293-EBNA cells cultured in suspension in a dialysis-based bioreactor. *Protein Expression and Purification*. 2006;48(1):43-48.
4. Douglas P, Cui X, Block W, Yu Y, et al. The DNA-Dependent Protein Kinase Catalytic Subunit Is Phosphorylated In Vivo on Threonine 3950, a Highly Conserved Amino Acid in the Protein Kinase Domain. *Molecular and Cellular Biology*. 2007;27(5):1581-1591.
5. Dukkipati A, Park H, Waghray D, Fischer S, Garcia K. Bacman system for high-level expression of recombinant soluble and membrane glycoproteins for structural studies. *Protein Expression and Purification*. 2008;62(2):160-170.
6. Gallo R, Khan M, Shi J, et al. Regulation of the Actin Cytoskeleton by Rho Kinase Controls Antigen Presentation by CD1d. *The Journal of Immunology*. 2012;189(4):1689-1698.
7. Geisse S, Jordan M, Wurm F. Large-Scale Transient Expression of Therapeutic Proteins in Mammalian Cells. *Methods in Molecular Biology*. 2005;308:87-98.
8. Geisse S, Maiuta N, Buren B, Henke M. The Secrets of Transfection in Serumfree Suspension Culture. *ESACT Proceedings*. 2005;2(4):373-376.
9. Girard P, Derouazi M, Baumgartner G, et al. 100-liter transient transfection. *Cytotechnology*. 2002;38(1-3):15-21.
10. Girard P, Porte L, Berta T, et al. Calcium phosphate transfection optimization for serum-free suspension culture. *Cytotechnology*. 2001;35(3):175-180.
11. Gronemeyer T, Chidley C, Juillerat A, et al. Directed evolution of O-alkylguanine-DNA alkyltransferase for applications in protein labeling. *Protein Engineering, Design and Selection*. 2006;19(7):309-316.
12. Hacker D, Bertschinger M, Baldi L, Wurm F. Reduction of adenovirus E1A mRNA by RNAi results in enhanced recombinant protein expression in transiently transfected HEK293 cells. *Gene*. 2004;341(27):227-234.
13. Hunt L, Hacker D, Grosjean F, et al. Low-temperature pausing of cultivated mammalian cells. *Biotechnology and Bioengineering*. 2005;89(2):157-163.
14. Muller N, Girard P, Hacker D, Jordan M, Wurm F. Orbital shaker technology for the cultivation of mammalian cells in suspension. *Biotechnology and Bioengineering*. 2005;89(4):400-406.

15. Shen C, Karmen A. Hypersmotic pressure on HEK 293 cells during the growth phase, but not the production phase, improves adenovirus. *Journal of Biotechnology*. 2012;157(1):228-236.
16. Stevceva L, Yoon V, Carville A, et al. The Efficacy of T Cell-Mediated Immune Responses Is Reduced by the Envelope Protein of the Chimeric HIV-1/SIV-KB9 Virus In Vivo. *The Journal of Immunology*. 2008;181(8):5510-5521.
17. Wright J, Jordan M, Wurm F. Transfection of partially purified plasmid DNA for high level transient protein expression in HEK293-EBNA cells. *Journal of Biotechnology*. 2003;102(3):211-221.

Pro293a:

1. Drakesmith H, Schimanski L, Ormerod E, et al. Resistance to hepcidin is conferred by hemochromatosis-associated mutations of ferroportin. *Blood*. 2005;106(3):1092-1097.
2. Drakesmith H, Chen N, Ledermann H, et al. HIV-1 Nef down-regulates the hemochromatosis protein HFE, manipulating cellular iron homeostasis. *PNAS*. 2005;102(31):11017-11022.
3. Fiete D, Beranek M, Baenziger J. Molecular Basis for Protein-specific Transfer of N-Linked Glycans by the Glycosyltransferases β 1,4-N-Acetylgalactosaminyl Transferase 3 (β 4GalNAc-T₃) and β 4GalNAc-T₄. *The Journal of Biological Chemistry*. 2012;287:29194-29203.
4. Franceschi C, Collignon A, Isnardon D, et al. A Novel Tumor-Associated Pancreatic Glycoprotein is Internalized by Human Dendritic Cells and Induces Their Maturation. *The Journal of Immunology*. 2011;186(7):4067-4077.
5. Heideman D, Beusechem V, Bloemena E, et al. Suppression of tumor growth, invasion and angiogenesis of human gastric cancer by adenovirus-mediated expression of NK4. *The Journal of Gene Medicine*. 2004;6(3):317-327.
6. Jones D, Kosmolaptis V, Apps R, et al. HLA Class I Allelic Sequence and Conformation Regulate Leukocyte Ig-Like Receptor Binding. *The Journal of Immunology*. 2011;186(5):2990-2997.
7. Lin L, Nemeth E, Goodnough J, Thapa D, Gabayan V, Ganz T. Soluble hemojuvelin is released by proprotein convertase-mediated cleavage at a conserved polybasic RNRR site. *Blood Cells, Molecules and Diseases*. 2008;40(1):122-131.
8. Lin L, Valore E, Nemeth E, et al. Iron transferrin regulates hepcidin synthesis in primary hepatocyte culture through hemojuvelin and BMP2/4. *Blood*. 2007;110(6):2182-2189.
9. Letocart E, Le Gac G, Majore S, et al. A novel missense mutation in SLC40A1 results in resistance to hepcidin and confirms the existence of two ferroportin-associated iron overload diseases. *British Journal of Haematology*. 2009;147(3):379-385.
10. Schimanski L, Drakesmith H, Merryweather-Clarke A, et al. In vitro functional analysis of human ferroportin (FPN) and hemochromatosis-associated FPN mutations. *Blood*. 2005;105(10):4096-4102.
11. Steere A, Chasteen N, Miller B, et al. Structure-Based Mutagenesis Reveals Critical Residues in the Transferrin Receptor Participating in the Mechanism of pH-Induced Release of Iron from Human Serum Transferrin. *Biochemistry*. 2012;51(10):2113-2121.
12. Staab C, Muhl-Zurbes P, Steinkasserer A, Kummer M. Eukaryotic expression of functionally active recombinant soluble CD83 from HEK 293T cells. *Immunobiology*. 2010;215(9-10):849-854.
13. Stahl M, Uemura K, Ge C, et al. Roles of Pofut1 and O-Fucose in Mammalian Notch Signaling. *The Journal of Biological Chemistry*. 2008;283:13683-13651.
14. Tian J, Ling L, Shboul M, et al. Loss of CHSY1, a Secreted FRINGE Enzyme, Causes Syndromic Brachydactyly in Humans via Increased NOTCH Signaling. *AJHG*. 2010;87(6):768-778.
15. Tsao M, Jacko B, Curnow E, Berzofsky R. Application of Bioassays for Suspended 293 Cell Enumerations in Chemically Defined Medium (CDM). *Animal Cell Technology*:

Lonza

Products From Cells, Cells As Products.
2000;Chapter II:183-186.